

2. Specific questions:

| No. | I. Company Name | II. Managing Company | III. Business Unit | IV. Shareholders | V. Country | VI. Operation |
|-----------------------------------|-----------------|----------------------|--------------------|------------------|------------|---------------|
| Anglo American Managed Operations | | | | | | |
| 46 | Anglo American | Anglo American | Nickel | Anglo American | Brazil | Barro Alto |

| 1. "Tailings Facility" Name/identifier | 2. Location | 3. Ownership | 4. Status | 5. Date of initial operation | 6. Is the Dam currently operated or closed as per currently approved design? |
|--|---|--------------------|-----------|------------------------------|--|
| Barro Alto: Slag Pile No. 1 | Latitude: 15°05'22"S Longitude: 48°20'17"W | Owned and Operated | Active. | 2009 | Yes |

| 7. Raising method | 8. Current Maximum Height (m) | 9. Current Tailings Storage Impoundment Volume (m ³) | 10. Planned Tailings Storage Impoundment Volume in 5 years time (m ³) | 11. Most recent Independent Expert Review | 12. Do you have full and complete relevant engineering records including design, construction, operation, maintenance and/or closure. | 13. What is your hazard categorisation of this facility, based on consequence of failure? | 14. What guideline do you follow for the classification system? | 15. Has this facility, at any point in its history, failed to be confirmed or certified as stable, or experienced notable stability concerns, as identified by an independent engineer (even if later certified as stable by the same or a different | 16. Do you have internal/in house engineering specialist oversight of this facility? Or do you have external engineering support for this purpose? | 17. Has a formal analysis of the downstream impact on communities, ecosystems and critical infrastructure in the event of catastrophic failure been undertaken |
|-------------------|-------------------------------|--|---|---|---|---|---|--|--|--|
| | | | | | | | | | | |
| Dry Stack | 80 | 7.4M | 1.26M | 2018, See Q20 for more information | Yes | High | Anglo American Technical Standard (AA TS 602 001) | No. | Yes. Internal geologist-geotechnical expert. External support from a geotechnical consultant when necessary. | No. See Q20 for additional information |

| 18. Is there a) a closure plan in place for this dam, and b) does it include long term monitoring? | 19. Have you, or do you plan to assess your tailings facilities against the impact of more regular extreme weather events as a result of climate change, e.g. over the next two years? | 20. Any other relevant information and supporting documentation. Please state if you have omitted any other exposure to tailings facilities through any joint ventures you may have. |
|--|--|--|
| Yes (conceptual level), Yes | Yes, See Q20 for additional information | <p>Q1: This is a slag pile, with no engineering design, only a defined layout and maximum height.</p> <p>Q11: External engineering firm 2018</p> <p>Q17: There is no community downstream of the facility and the hazard category is low.</p> <p>Q19: Not performed as yet, but Anglo American long term Sustainable Mining Plan requires this to be done for all managed sites within the next 2 years.</p> |