

2. Specific questions:

| No. | I. Company Name | II. Managing Company | III. Business Unit | IV. Shareholders | V. Country | VI. Operation |
|-----------------------------------|-----------------|-----------------------------|--------------------|------------------|--------------|---------------|
| Anglo American Managed Operations | | | | | | |
| 60 | Anglo American | Anglo Operations (Pty) Ltd. | Coal SA | Anglo American | South Africa | Khwezela |

| 1. "Tailings Facility" Name/identifier | 2. Location | 3. Ownership | 4. Status | 5. Date of initial operation | 6. Is the Dam currently operated or closed as per currently approved design? |
|--|-------------------------|--------------------|-----------|------------------------------|--|
| Klippan Co-disposal | 25.59.20 S : 29.12.44 E | Owned and Operated | Active | 1982 | Yes |

| 7. Raising method | 8. Current Maximum Height (m) | 9. Current Tailings Storage Impoundment Volume (m ³) | 10. Planned Tailings Storage Impoundment Volume in 5 years time (m ³) | 11. Most recent Independent Expert Review | 12. Do you have full and complete relevant engineering records including design, construction, operation, maintenance and/or closure. | 13. What is your hazard categorisation of this facility, based on consequence of failure? | 14. What guideline do you follow for the classification system? | 15. Has this facility, at any point in its history, failed to be confirmed or certified as stable, or experienced notable stability concerns, as identified by an independent engineer (even if later certified as stable by the same or a different | 16. Do you have internal/in house engineering specialist oversight of this facility? Or do you have external engineering support for this purpose? | 17. Has a formal analysis of the downstream impact on communities, ecosystems and critical infrastructure in the event of catastrophic failure been undertaken |
|-------------------------------------|-------------------------------|--|---|---|---|---|---|--|--|--|
| | | | | | | | | | | |
| Other, See Q20 for more information | 37.1 | *24.92M coarse; 14.39M fines | 33.1M coarse; 15.74M fines | 2013 | Yes | Major | Anglo American Technical Standard (AA TS 602 001) | No | Both | Yes, Q4 2018 |

| 18. Is there a) a closure plan in place for this dam, and b) does it include long term monitoring? | 19. Have you, or do you plan to assess your tailings facilities against the impact of more regular extreme weather events as a result of climate change, e.g. over the next two years? | 20. Any other relevant information and supporting documentation. Please state if you have omitted any other exposure to tailings facilities through any joint ventures you may have. |
|--|--|---|
| Yes and yes | Plan in place in line with Anglo American's Long term Sustainable Mining Plan. | <p>Q7:Q9: Downstream until 1999; upstream since Co-disposal facility where coarse discards are used to form an impoundment for the fines. The LoM at Bokgoni has been revised from 2025 to 2027 which impacts the capacity to accomodate the projected discards forecast. The IPP project can provide relief by reducing the quantity of as arising discards together with re-mining of existing to cater for the revised LoM.</p> <p>Q17: The DBA did no include environmental impact.</p> <p>Q18: Closure plans are at concept level and will be developed in more detail closer to the closure date in accordance with the Anglo American process, inclusive of relevant long term monitoring.</p> |